

Weed Control

Additives for Postemergence Soybean Herbicides

Check the label for specific additive rates and use conditions. Weather conditions, crop and weed growth stages and herbicide rate will determine the proper additive and use rate.

Herbicide	Nonionic Surfactant	Nonionic Surfactant +28% N	Crop Oil Concentrate (COC)	Crop Oil Concentrate +28% N	Dash	28% N	Dash +28% N
Assure II	yes	yes ²	yes	yes ²	no	no	no
Basagran	no	no	yes	yes ²	yes	yes ²	no
Blazer	yes	no	yes ¹	no	no	yes ¹	no
Classic	yes	yes ²	yes	yes ¹	no	no	no
Cobra	yes	no	yes ¹	no	no	yes ²	no
Concert	no	yes ²	no	yes	no	no	no
Fusilade	yes	yes	yes	yes	no	no	no
Pinnacle	yes	yes ²	yes ¹ (if dry)	yes ^{1,2} (if dry)	no	no	no
Poast Plus	no	no	yes	yes ²	yes	no	yes ²
Pursuit	no	yes	yes	yes ^{1,2}	no	no	yes ^{1,2}
Scepter	yes	no	yes	no	yes	no	no
Scepter OT	yes	no	no	no	no	no	no
Select	no	no	yes	yes	no	no	no
Storm	yes	no	yes ¹	no	no	yes	no
Basagran + Blazer	no	no	yes ¹	no	no	yes	no
Basagran + Poast Plus	no	no	yes	yes ¹	no	yes ²	yes ²
Basagran + Blazer + Poast Plus	no	no	yes	no	no	no	no
Basagran + Scepter	yes	no	no	no	no	no	no
Blazer + Poast Plus	no	no	yes ¹	no	no	no	no
Classic + Assure	yes	yes ^{1,2}	yes	yes ²	no	no	no
Classic + Pinnacle + Assure II	yes	yes ^{1,2}	no	no	no	no	no
Fusilade + Basagran	yes	no	yes	no	no	no	no
Pinnacle + Basagran	no	yes	no	yes ¹ (if dry)	no	no	no
Pinnacle + Classic	yes	yes ²	yes	yes ^{1,2} (if dry)	no	no	no
Resource	yes	yes ²	yes	yes ²	no	no	no
Synchrony	no	no	yes	yes ²	no	no	no

¹ Crop injury potential is increased with COC. Use only for labeled conditions.

² Ammonium sulfate (Spray Grade) can be substituted for UAN.